

**REQUEST FOR PUBLIC COMMENTS  
ON DRAFT AIR PERMIT  
REGULATING THE EMISSIONS OF AIR POLLUTANTS**

**(Docket No. 14-CA-PA-20)**

Pursuant to Hawaii Revised Statutes (HRS), Chapter 342B-13 and Hawaii Administrative Rules (HAR), Chapter 11-60.1, the Department of Health, State of Hawaii (DOH), is requesting public comments on the following **DRAFT PERMIT** presently under review for:

**Temporary Covered Source Permit (CSP) No. 0692-01-CT**

Renewal Application No. 0692-02

Close Construction, Inc.

350 TPH Stone Processing Plant with One (1) 300 HP Diesel Engine

Located At: Various Temporary Sites, State of Hawaii

The **DRAFT PERMIT** is described as follows:

**CSP No. 0692-01-CT** will grant conditional approval for the continued operation of the 350 TPH Stone Processing Plant with One (1) 300 HP Diesel Engine. Water sprays are used to minimize and control fugitive dust. The 350 TPH Stone Processing Plant is subject to 40 Code of Federal Regulations Subpart OOO, Standards of Performance for Nonmetallic Mineral Processing Plants. This permit, if issued, will supersede CSP No. 0692-01-CT, issued on December 18, 2008, in its entirety.

The **ADMINISTRATIVE RECORD**, consisting of the **APPLICATION** and non-confidential supporting materials from the applicant, the permit review summary, and the **DRAFT PERMIT**, are available for public inspection during regular office hours, Monday through Friday, 7:45 a.m. to 4:15 p.m., at the following location:

Clean Air Branch, Department of Health  
919 Ala Moana Boulevard, Room 203  
Honolulu, Oahu 96814

All comments on the draft permit and any request for a public hearing must be in writing, addressed to the Clean Air Branch at the above address on Oahu and must be postmarked or received by **November 17, 2014**.

Any person may request a public hearing by submitting a written request that explains the party's interest and the reasons why a hearing is warranted. The DOH may hold a public hearing if a hearing would aid in DOH's decision. If a public hearing is warranted, a public notice for the hearing will be published at least thirty days in advance of the hearing.

Interested persons may obtain copies of the administrative record or parts thereof by paying **five cents per page copying costs**. Please send written requests to the Clean Air Branch listed above or call Mr. Joseph Baumgartner at the Clean Air Branch at (808) 586-4200. Electronic copies of the draft permit and permit review may be found online at <http://health.hawaii.gov/cab/public-notice>.

Comments on the draft permit should address, but need not be limited to, the permit conditions and the facility's compliance with federal and state air pollution laws, including: (1) the National and State Ambient Air Quality Standards; and (2) HRS, Chapter 342B and HAR, Chapter 11-60.1.

DOH will make a final decision on the permit after considering all comments and will send notice of the final decision to each person who has submitted comments or requested such notice.

Linda Rosen, M.D., M.P.H.  
Director of Health

Posted by: October 17, 2014